

REQUEST FOR MRI CONSULTATION

MRI Fax: 343-800-0067

MRI Booking Clerk: 613-283-2330 ext. 1417

Date Received: _____ / _____ / _____ (YYYY/MM/DD)

Appt Date/Time: _____ / _____ / _____ at _____ :

<input type="checkbox"/> IN-PATIENT Z Number: _____	Floor _____	Room # _____	<input type="checkbox"/> OUT-PATIENT
--	-------------	--------------	---

Surname: _____
 First Name: _____
 Address: _____
 Phone: (h) _____ (m) _____
 Health Card (HIN): _____
 Date of Birth: _____ / _____ / _____ (YYYY/MM/DD)
 Gender: Female Male Other
 Weight: _____ lbs/kg -> Table limit is 550lbs/250kg
 WSIB (Claim #): _____
 Employer: _____

Mobility: Stretcher Wheelchair Walk O2

Isolation: Airborne Droplet Contact

Referring Physician:

Name: _____
 Phone Number: _____
 Signature: _____
 Copy Report to: _____
 Copy Report to: _____

INCOMPLETE or ILLEGIBLE requisitions will be returned and will DELAY Study

Examination requested: _____

Indication/Reason and Related Clinical Information:

Is the patient Claustrophobic? No Yes If Yes, the ordering MD is to prescribe a medication prior to arrival

Any allergies to **contrast dye**? No Yes If Yes, please list _____

→ If allergy to Gadovist specifically, please follow premedication guidelines.

If the patient has renal impairment, you **MUST** provide a recent eGFR (within the last 3 months) as per CAR guidelines. No Bloodwork needed in patients with normal renal function, i.e., expected eGFR of 30 ml/min

eGFR: _____ mL/min Date Drawn (within 60 days of MRI)

PLEASE COMPLETE THE PATIENT SAFETY SCREENING

Pregnant	No <input type="checkbox"/>	Yes <input type="checkbox"/>
Claustrophobic	<input type="checkbox"/>	<input type="checkbox"/>
Requires sedation	<input type="checkbox"/>	<input type="checkbox"/>
Cardiac pacemaker, defibrillator	<input type="checkbox"/>	<input type="checkbox"/>
Prosthetic heart valve	<input type="checkbox"/>	<input type="checkbox"/>
Vascular access port, catheter ...	<input type="checkbox"/>	<input type="checkbox"/>
Previous Gadolinium	<input type="checkbox"/>	<input type="checkbox"/>

Shrapnel/Bullets	No <input type="checkbox"/>	Yes <input type="checkbox"/>
Aneurysm clip	<input type="checkbox"/>	<input type="checkbox"/>
Coils, filters, grafts, shunts, or stents	<input type="checkbox"/>	<input type="checkbox"/>
Cochlear implant	<input type="checkbox"/>	<input type="checkbox"/>
Medical patches, sensors	<input type="checkbox"/>	<input type="checkbox"/>
Previous Eye Injury, Metallic foreign body * ..	<input type="checkbox"/>	<input type="checkbox"/>

* If yes, referring physician to order X-Ray of orbits and submit report with requisition.

FOR RADIOLOGIST USE ONLY:

PROTOCOL: _____

Additional Sequences: _____

Priority: 1 2 3 4

Gadolinium: No Yes

Radiologist signature: _____

Date: _____ / _____ / _____ (YYYY/MM/DD)